

**High Performance
Commercial Solutions**

-

Product Guide



Index

Index	2	Electronic and Sensor Operated Tapware	52
Brand Story	4	Sensor Operated Gooseneck Tap With LED	54
Bubblers	6	Sensor Operated Gooseneck with 6V Battery Power	56
122° Wall Bubbler	8	Electronic Foot Pedal Operated Tap	58
90° Wall Bubbler	10	Wall mounted outlet with plate and wave-on sensor	60
Hob Bubbler	12	Hob Mounted Sensor Tap With Internal Solenoid	62
Remote Button Bubbler	14	Toilet Suites	64
Foot and Knee Operated Tapware	16	Close Coupled Back to Wall Ambulant Toilet Suite	66
Foot Operated Pedal Valve	18	Close Coupled Back to Wall Toilet Suite	68
Knee Operated Valve	20	Close Coupled Back to Wall Toilet Suite with Backrest	70
Foot Operated Kit with Outlet	22	Back to Wall In-wall Cistern Toilet Suite	72
Knee Operated Kit with Outlet	24	Back to Wall Toilet Suite with Backrest	74
Food Preparation Tapware	26	Hardware	76
Compact Pre Rinse Sink Mixer and Pot Filler	28	Cleaners Sink with Grate	78
Pre Rinse Sink Mixer with Pot Filler	30	Hand Basin	80
Trigger Spray Assembly with Stop Tap	32	Folding Shower Seat 600mm	82
Slophopper Assembly with Wall Bracket	34	Folding Shower Seat 960mm	84
Timeflow Tapware	36	Hand dryer	86
Timed Flow Bib Tap 65mm - Cold	38	Safety Equipment	88
Timed Flow Bib Tap 65mm - Warm	40	Hand Operated Safety Shower	90
Timed Flow Bib Tap 95mm - Cold	42	Freestanding Safety Shower with Eye Wash	92
Timed Flow Bib Tap 95mm - Warm	44	Freestanding Safety Shower with Eye Wash and Pedal	94
Timed Flow Basin Tap - Cold	46	Ceiling Mounted Safety Drench Shower	96
Timed Flow Basin Tap - Warm	48	Wall Mounted Safety Drench Shower	98
Timed Flow Mixer Tap	50	Industry Index	100
		Reece Product Quality Guarantee	103

Engineered for the most demanding commercial applications, Wolfen products are made to perform - all day, everyday. Our innovative range is designed around the needs of users operating in specific environments, including Hospitals & Health Care, Education, Hospitality, Public Spaces and Sports & Leisure venues.

Our meticulous manufacturing approach ensures that all our solutions work as good as they look. Combining strength, precision and reliability, Wolfen delivers total peace of mind. That's the Wolfen difference.



When we set out to create a Wolfen product, it starts with a commitment to finding the most durable and functional materials available. We then combine these with leading technologies from all over the world. Every element is seamlessly integrated to perform in the environment it will operate in. Wolfen understands the unique challenges of each industry segment and we create solutions with an absolute commitment to quality and long-life performance.



Designed to perform, built to last.

Wolfen products have been designed to perform at the very highest of standards through innovative and robust functionality. Combining attention to detail with superior materials, Wolfen has engineered a range of products that are reliable, functional and intelligent.



The best in our industry, for your industry

Wolfen offers innovative solutions for a wide array of commercial and industrial applications spanning health care, disability, councils, aged care, public recreation, sporting facilities and education institutions as well as commercial food premises and hospitality. These industries require the reliability, durability and simplicity that is inherent in all Wolfen products.





Confidently backed, readily supplied

Wolfen offers an industry leading 5-year warranty throughout the entire range, giving you confidence that our products are truly built to last. Backed by the Reece network, Wolfen products are available from any branch as either a stock item or ordered in from a national network of distribution centres.

Bubblers

Designed around the principles of durability, reliability and functionality, Wolfen bubblers provide drinking water solutions that perform all day, every day.





122° Wall Bubbler

Product Code: 252418
122° Wall Bubbler with Recessed Spray
Nozzle and Soft Spring Button



Commercial Applications



Education



Sports and Leisure



Public Places

Features and Benefits

Infection control features

Recessed spray nozzle avoids contact with user

Commercial durability

UV treated rubber guard

Installation and servicing

Simple allen key run time adjustment

0-55 second adjustable


Supplied with inlet strainer

Factory pre-set to 4-6 seconds

Usage features

Soft spring for easy use

Protective rubber guard for safety



Technical Information

Colour	Chrome / Rubber Guard
Finish	Polished
Material	Brass
Cartridge Type	Press Timed Flow Cartridge
Min Continuous Working Pressure	150 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	5 °C
Max Continuous Working Temperature	50 °C
Max Static Pressure	500 kPa
Product Warranty	5 Years



Suitable for high pressure applications (minimum 150 kPa)

90° Wall Bubbler

Product Code: 252465
90° Wall Bubbler with Recessed Spray
Nozzle and Soft Spring Button



Commercial Applications



Education



Sports and Leisure



Public Places

Features and Benefits

Infection control features

Recessed spray nozzle avoids contact with user

Commercial durability

UV treated rubber guard

Installation and servicing

Simple allen key run time adjustment

0-55 second adjustable


Supplied with inlet strainer

Factory pre-set to 4-6 seconds

Usage features

Soft spring for easy use

Protective rubber guard for safety



Technical Information

Colour	Chrome / Rubber Guard
Finish	Polished
Material	Brass
Cartridge Type	Press Timed Flow Cartridge
Min Continuous Working Pressure	150 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	5 °C
Max Continuous Working Temperature	50 °C
Max Static Pressure	500 kPa
Product Warranty	5 Years



Suitable for high pressure applications (minimum 150 kPa)

Hob Bubbler

Product Code: 252419
Hob Mounted Bubbler with Recessed
Spray Nozzle and Soft Spring Button



Commercial Applications



Education



Sports and Leisure



Public Places

Features and Benefits

Infection control features

Recessed spray nozzle avoids contact with user

Commercial durability

UV treated rubber guard

Installation and servicing

Simple allen key run time adjustment

0-55 second adjustable


Supplied with inlet strainer

Factory pre-set to 4-6 seconds

Usage features

Soft spring for easy use

Protective rubber guard for safety



Technical Information

Colour	Chrome / Rubber Guard
Finish	Polished
Material	Brass
Cartridge Type	Press Timed Flow Cartridge
Min Continuous Working Pressure	150 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	5 °C
Max Continuous Working Temperature	50 °C
Max Static Pressure	500 kPa
Product Warranty	5 Years



Suitable for high pressure applications (minimum 150 kPa)

Remote Button Bubbler

Product Code: 252420
Remote Bubbler with Recessed Spray
Nozzle and Soft Spring Button



Commercial Applications



Education



Sports and Leisure




Public Places

Features and Benefits

Infection control features
Recessed spray nozzle avoids contact with user
Commercial durability
UV treated rubber guard
Installation and servicing
Simple allen key run time adjustment
0-55 second adjustable
Supplied with inlet strainer
Factory pre-set to 4-6 seconds

Usage features
Soft spring for easy use
Protective rubber guard for safety



Technical Information


Colour	Chrome / Rubber Guard
Finish	Polished
Material	Brass
Cartridge Type	Press Timed Flow Cartridge
Min Continuous Working Pressure	150 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	5 °C
Max Continuous Working Temperature	50 °C
Max Static Pressure	500 kPa
Product Warranty	5 Years




Suitable for high pressure applications (minimum 150 kPa)

Foot And Knee Operated Tapware

Designed for absolute performance, Wolfen's commercial valved tapware products set new standards in quality and durability. Ergonomic design combined with precision engineering ensures that every Wolfen product is easy-to-use and made to last.





Foot Operated Pedal Valve

Product Code: 252460
Timed Foot Pedal Valve for
Operating Tapware



Commercial Applications



Commercial Kitchen

Features and Benefits

Infection control features

15 second timed flow run time complies
with food preparation regulations


Installation and servicing

Wall or floor mount suitable
Preset to 15 seconds


Usage features

Soft spring for easy use
0-55 second adjustable run time
Foot pedal can be lifted up for ease of cleaning

Wall Mounted



Floor Mounted



Technical Information

Colour	Chrome
Finish	Polished
Material	Brass
Cartridge Type	Timed Flow
Min Continuous Working Pressure	150 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	5 °C
Max Continuous Working Temperature	50 °C
Max Static Pressure	500 kPa
Height	140 mm
Clearance	60.8 mm
Reach	114 mm
Product Warranty	5 Years



Knee Operated Valve

Product Code: 252958
Soft Spring Timed Knee Valve
for Operating Tapware



Commercial Applications



Commercial Kitchen

Features and Benefits

Infection control features

15 second timed flow run time complies with food preparation regulations

Installation and servicing


Run time adjustment available

Usage features

Soft spring for easy use

0-55 second adjustable run time available with spare part

Flexible nylon wand for easy use



Technical Information

Colour	Chrome
Finish	Polished
Material	Brass
Cartridge Type	Timed Flow
Min Continuous Working Pressure	150 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	5 °C
Max Continuous Working Temperature	50 °C
Max Static Pressure	500 kPa
Product Warranty	5 Years



Foot Operated Kit with Outlet

Product Code: 252957
Foot Operating Tap Including
Foot Pedal Valve and Tap Outlet



Commercial Applications




Commercial Kitchen

Features and Benefits


Infection control features
15 second timed flow run time complies with food preparation regulations
Commercial durability
Strong design with minimal moving parts
Installation and servicing
Wall or floor mount suitable
Preset to 15 seconds
Simple allen key run time adjustment

Usage features
Soft spring for easy use
0-55 second adjustable run time
Foot pedal can be lifted up for ease of cleaning

Wall Mounted



Floor Mounted



Technical Information

Colour	Chrome
Finish	Polished
Material	Brass
Cartridge Type	Timed Flow
Min Continuous Working Pressure	150 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	5 °C
Max Continuous Working Temperature	50 °C
Max Static Pressure	500 kPa
Height	140 mm
Clearance	60.8 mm
Reach	114 mm
Product Warranty	5 Years



Suitable for high pressure applications (minimum 150 kPa)

Knee Operated Kit with Outlet

Product Code: 252959
Knee Operated Tap Including
Knee Valve and Tap Outlet



Commercial Applications



Commercial Kitchen

Features and Benefits

Infection control features


15 second timed flow run time complies
with food preparation regulations

Installation and servicing

Run time adjustment available

Usage features

Soft spring for easy use
0-55 second adjustable run time
Flexible nylon wand for easy use



Technical Information


Colour	Chrome
Finish	Polished
Material	Brass
Cartridge Type	Timed Flow
Min Continuous Working Pressure	150 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	5 °C
Max Continuous Working Temperature	50 °C
Max Static Pressure	500 kPa
Height	140 mm
Clearance	60.8 mm
Reach	114 mm
Product Warranty	5 Years




Suitable for high pressure applications (minimum 150 kPa)

Food Preparation Tapware

Wolfen food preparation tapware has been designed to withstand the toughest of hospitality environments. Our tapware uses minimal moving parts to prevent bacteria build-up while stainless steel construction creates safe, long lasting solutions.





Compact Pre Rinse Sink Mixer with Pot Filler

Product Code: 252452
Compact Pre Rinse Sink Mixer with
Pot Filler and Wall Fixing Bracket



Trigger Spray: 252431

Commercial Applications




Commercial Kitchen

Features and Benefits

Infection control features
Clean line food grade hose
Minimum crevices for bacteria build up
Commercial durability
Stainless steel spray nozzle
Stainless steel braided hose with external lining and PEX inner lining
Wall fixing bracket for ongoing stability
Installation and servicing
Cut-down wall bracket with height and projection adjustment
Built-in non return valve

Usage features
Trigger spray clip enables effortless continual use
Easy operation front control pot filler
Tensioned polished spring for manoeuvrability
Water efficient spray nozzle
Trigger handle piece has a built in protective thermal barrier



Technical Information

Colour	Chrome
Finish	Polished
Material	Brass
Cartridge Type	Timed Flow
Min Continuous Working Pressure	150 kPa
Max Continuous Working Pressure	450 kPa
Max Static Pressure	500 kPa
Min Continuous Working Temperature	5 °C
Max Continuous Working Temperature	80 °C
Product Warranty	5 Years



Suitable for high pressure applications (minimum 150 kPa)

Pre Rinse Sink Mixer with Pot Filler

Product Code: 252430
Pre Rinse Sink Mixer with Pot Filler
and Wall Fixing Bracket



Commercial Applications



Commercial Kitchen

Trigger Spray: 252431

Features and Benefits

Infection control features

- Clean line food grade hose
- Minimum crevices for bacteria build up

Commercial durability


- Stainless steel spray nozzle
- Stainless steel braided hose with external lining and PEX inner lining
- Wall fixing bracket for ongoing stability

Installation and servicing

- Cut-down wall bracket with height and projection adjustment
- Built-in non return valve

Usage features

- Trigger spray clip enables effortless continual use
- Easy operation front control pot filler
- Tensioned polished spring for manoeuvrability
- Water efficient spray nozzle
- Trigger handle piece has a built in protective thermal barrier



Technical Information

Colour	Chrome
Finish	Polished
Material	Brass
Cartridge Type	Ceramic Disc Cartridge
Min Continuous Working Pressure	150 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	5 °C
Max Continuous Working Temperature	80 °C
Max Static Pressure	500 kPa
Product Warranty	5 Years



Suitable for high pressure applications (minimum 150 kPa)

Trigger Spray Assembly with Stop Tap

Product Code: 252432
Trigger Spray Assembly with Stop Tap



Supplied with both cold and hot indicators

Commercial Applications



Aged Care



Commercial Kitchens



Hospital and Health Care


Features and Benefits

Infection control features

- Clean line food grade hose
 - Minimum crevices for bacteria build up
- ### Commercial durability
- Stainless steel spray nozzle
 - Stainless steel braided hose with external lining and PEX inner lining

Usage features

- Trigger spray clip enables effortless continual use
- Water efficient spray nozzle
- Trigger handle piece has a built in protective thermal barrier



Technical Information

Colour	Chrome
Finish	Polished
Material	Brass
Cartridge Type	Ceramic Disc Cartridge
Min Continuous Working Pressure	150 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	5 °C
Max Continuous Working Temperature	80 °C
Max Static Pressure	500 kPa
Product Warranty	5 Years



Suitable for high pressure applications (minimum 150 kPa)

Slophopper Assembly with Wall Bracket

Product Code: 252444
Slophopper Assembly with Wall Bracket



Commercial Applications



Aged Care



Commercial Kitchens



Hospital and Health Care

Trigger Spray: 252431


Features and Benefits

Infection control features

- Clean line food grade hose
 - Minimum crevices for bacteria build up
- ### Commercial durability
- Stainless steel spray nozzle
 - Stainless steel braided hose with external lining and PEX inner lining

Usage features

- Trigger spray clip enables effortless continual use
- Water efficient spray nozzle
- Trigger handle piece has a built in protective thermal barrier



Technical Information


Colour	Chrome
Finish	Polished
Material	Brass
Cartridge Type	Ceramic Disc Cartridge
Min Continuous Working Pressure	150 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	5 °C
Max Continuous Working Temperature	80 °C
Max Static Pressure	500 kPa
Product Warranty	5 Years




Suitable for high pressure applications (minimum 150 kPa)

Timed Flow Tapware

Designed using the world's leading technology, Wolfen offers a range of innovative solutions for industries requiring resilient design and consistent quality in timed flow tapware.





Timed Flow Bib Tap

65 mm – Cold

Product Code: 9508243
Timed Flow Bib Tap with Soft Button for Cold Water and 7 Second Timer



Commercial Applications

- 

Aged Care
- 

Education
- 

Hospital and Health Care
- 


Public Places
- 

Sports and Leisure

Features and Benefits

Commercial durability features
Solid brass body
In-built water-hammer prevention
Installation and servicing
Interchangeable head for easy maintenance

Usage features
Patented cartridge technology for reliable timed-flow
Anti-vandal features
Anti-vandal, non-turnable button
Anti-vandal aerator



Technical Information

Colour	Chrome
Finish	Polished
Material	Brass
Cartridge Type	Timed Flow
Min Continuous Working Pressure	100 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	2 °C
Max Continuous Working Temperature	50 °C
Product Warranty	5 Years



Suitable for high pressure applications (minimum 150 kPa)

Timed Flow Bib Tap

65 mm – Warm

Product Code: 9508244
Timed Flow Bib Tap with Soft Button for Warm Water and 7 Second Timer



Commercial Applications



Aged Care



Education



Hospital and Health Care



Public Places



Sports and Leisure


Features and Benefits

Commercial durability features

- Solid brass body
- In-built water-hammer prevention
- Installation and servicing**
- Interchangeable head for easy maintenance

Usage features

- Patented cartridge technology for reliable timed-flow
- Anti-vandal features**
- Anti-vandal, non-turnable button
- Anti-vandal aerator



Technical Information

Colour	Chrome
Finish	Polished
Material	Brass
Cartridge Type	Timed Flow
Min Continuous Working Pressure	100 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	2 °C
Max Continuous Working Temperature	50 °C
Product Warranty	5 Years




Suitable for high pressure applications (minimum 150 kPa)

Timed Flow Bib Tap

95 mm – Cold

Product Code: 9508245
Timed Flow Bib Tap with Soft Button for Cold Water and 7 Second Timer



Commercial Applications



Aged Care



Education



Hospital and Health Care



Public Places



Sports and Leisure


Features and Benefits

Commercial durability features

- Solid brass body
- In-built water-hammer prevention
- Installation and servicing**
- Interchangeable head for easy maintenance

Usage features

- Patented cartridge technology for reliable timed-flow
- Anti-vandal features**
- Anti-vandal, non-turnable button
- Anti-vandal aerator



Technical Information

Colour	Chrome
Finish	Polished
Material	Brass
Cartridge Type	Timed Flow
Min Continuous Working Pressure	100 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	2 °C
Max Continuous Working Temperature	50 °C
Product Warranty	5 Years



Timed Flow Bib Tap

95 mm – Warm

Product Code: 9508246
Timed Flow Bib Tap with Soft Button for Warm Water and 7 Second Timer



Commercial Applications



Aged Care



Education



Hospital and Health Care



Public Places



Sports and Leisure


Features and Benefits

Commercial durability features

- Solid brass body
- In-built water-hammer prevention
- Installation and servicing**
- Interchangeable head for easy maintenance

Usage features

- Patented cartridge technology for reliable timed-flow
- Anti-vandal features**
- Anti-vandal, non-turnable button
- Anti-vandal aerator



Technical Information

Colour	Chrome
Finish	Polished
Material	Brass
Cartridge Type	Timed Flow
Min Continuous Working Pressure	100 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	2 °C
Max Continuous Working Temperature	50 °C
Product Warranty	5 Years



Timed Flow Basin Tap – Cold

Product Code: 9508241
Timed Flow Basin Tap with Soft Button for Cold Water and 7 Second Timer



Commercial Applications

- 

Aged Care
- 

Education
- 

Hospital and Health Care
- 


Public Places
- 

Sports and Leisure

Features and Benefits

Commercial durability features
Solid brass body
In-built water-hammer prevention
Installation and servicing
Interchangeable head for easy maintenance

Usage features
Patented cartridge technology for reliable timed-flow
Anti-vandal features
Anti-vandal, non-turnable button
Anti-vandal aerator



Technical Information

Colour	Chrome
Finish	Polished
Material	Brass
Cartridge Type	Timed Flow
Min Continuous Working Pressure	100 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	2 °C
Max Continuous Working Temperature	50 °C
Product Warranty	5 Years



Timed Flow Basin Tap – Warm

Product Code: 9508242
Timed Flow Basin Tap with Soft Button for Warm Water and 7 Second Timer



Commercial Applications



Aged Care



Education



Hospital and Health Care



Public Places



Sports and Leisure


Features and Benefits

Commercial durability features

- Solid brass body
- In-built water-hammer prevention
- Installation and servicing**
- Interchangeable head for easy maintenance

Usage features

- Patented cartridge technology for reliable timed-flow
- Anti-vandal features**
- Anti-vandal, non-turnable button
- Anti-vandal aerator



Technical Information

Colour	Chrome
Finish	Polished
Material	Brass
Cartridge Type	Timed Flow
Min Continuous Working Pressure	100 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	2 °C
Max Continuous Working Temperature	50 °C
Product Warranty	5 Years



Timed Flow Mixer Tap

Product Code: 9508240
Timed Flow Mixer Tap with Soft Button for Warm Water and 7 Second Timer




Commercial Applications

- 
Aged Care
- 
Education
- 
Hospital and Health Care
- 
Public Places
- 
Sports and Leisure

Features and Benefits

Commercial durability features
Solid brass body
In-built water-hammer prevention
Installation and servicing
Interchangeable head for easy maintenance

Usage features
Patented cartridge technology for reliable timed-flow
Anti-vandal features
Anti-vandal, non-turnable button
Anti-vandal aerator




Technical Information


Colour	Chrome
Finish	Polished
Material	Brass
Cartridge Type	Timed Flow
Min Continuous Working Pressure	100 kPa
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	2 °C
Max Continuous Working Temperature	50 °C
Product Warranty	5 Years



Electronic and Sensor Operated Tapware

Intelligently designed, relentlessly tested and robustly engineered, Wolfen's electronic and sensor operated tapware is the ultimate solution for ease of use and functionality.





Sensor Operated Gooseneck Tap with LED Option

Product Code: 9506217
Sensor Gooseneck Tap with LED Light and Sensor Range Adjustment

Product Code: 9505568
Sensor Gooseneck Tap with Sensor Range Adjustment



Commercial Applications



Aged Care



Commercial Kitchens



Hospital and Health Care

Features and Benefits

Infection control features

- Touch-free operation
- LED option available
- Commercial durability**
- Waterproof electronics
- Protective shield to prevent cable damage

Installation and servicing


- Fixed 1/2" BSP thread provides a fast and stable installation point
- Integrated dress ring creates a larger mounting platform
- Easy side access sensor range adjustment
- Light indicator on power pack self diagnoses effective power supply to unit

Usage features

- Reflection proof sensor prevents false triggering

Anti-vandal features

- Aerator cannot be easily unscrewed



Technical Information

Colour	Chrome
Finish	Polished
Material	Brass
Power Supply	240 V AC
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	2 °C
Max Continuous Working Temperature	50 °C
Product Warranty	5 Years



Suitable for high pressure applications (minimum 150 kPa)

Sensor Operated Gooseneck with 6V Battery Power

Product Code: 9507918
Sensor Gooseneck Tap with LED Light and Sensor Range Adjustment



Commercial Applications



Aged Care



Commercial Kitchens



Hospital and Health Care

Features and Benefits

Infection control features

Touch-free operation

Infection control

Touch-free operation

Commercial durability

Solid chrome plated brass construction

Solenoid incorporates two stage water strainers

Waterproof electronics

Usage Features


Self-ranging and user-settable range Infra-Red sensor

Continuous battery condition monitoring

Low battery condition warning LED

Tap is disabled automatically when battery life is finished

Water flow rate 6.5 L/minute 5* rated



Technical Information

Colour	Chrome
Material	Brass
Finish	Polished
Power supply	6 V Battery Module
Battery Life	*Approx. 4 Years
Operating pressure	500 kPa
Static Inlet Pressure	150–190 kPa
Sensor Range	40–300 mm



Suitable for high pressure applications (minimum 150 kPa)

Electronic Foot Pedal Operated Tap

Product Code: 9505569
Sensor Gooseneck Tap with Electronic Foot Pedal



Commercial Applications



Aged Care



Commercial Kitchens



Hospital and Health Care

Spare Part: 9506218 Electronic Foot Pedal Power Pack

Features and Benefits

Infection control features

Hands-free operation

Commercial durability

Heavy duty foot pedal

Installation and servicing

Wall bracket for solenoid control unit

Fixed 1/2" BSP thread provides a fast and stable installation point

Usage features


Touch-on / touch-off operation & timed operation

LED indicator on control unit when battery is low

Fixed 1/2" BSP thread provides a fast and stable installation point

Anti-vandal features

Aerator cannot be easily unscrewed



Technical Information

Colour	Chrome
Finish	Polished
Material	Brass
Power Supply	240 V AC
Max Continuous Working Pressure	500 kPa
Min Continuous Working Temperature	2 °C
Max Continuous Working Temperature	50 °C
Product Warranty	5 Years



Suitable for high pressure applications (minimum 150 kPa)

Wall Mounted Outlet with Plate and Wave-On Sensor

Product Code: 9506034
Wall Mounted Sensor Tap with Wall Plate and Outlet



Commercial Applications




Public Places

Features and Benefits

Commercial durability
12V mains power via plug-pack power supply
Low consumption in standby
Solenoid cartridge has integrated stainless steel strainer
Water resistant gold-plated cable pluggable connectors
Brushed 260 mm stainless steel spout and cover plate
Program adjustability via optional remote control
Auto line flush when unit has not been used for 24hrs
Installation and servicing
Plug pack transformer with 4.8m cable
Modular components allow easy maintenance and changeover
Quick connect moulded electrical plugs
Plate can be removed without disassembling spout

Everything except transformer is contained within a pre-assembled in-wall installation box
Only 70 mm wall cavity required
Integrated maintenance shut-off valve
Adjustable mounting brackets included
Usage features
Quick and easy program adjustment via optional remote control
Features an automated water shut-off function
Tap can be set up to fill a bath tub
Anti-vandal features
Vandal resistant wall mounted components



Technical Information


Colour	Stainless Steel
Finish	Brushed
Material	Stainless Steel
Max Continuous Working Pressure	150 kPa
Min Continuous Working Temperature	500 kPa
Max Continuous Working Temperature	70° C
Max Static Pressure	800 kPa
Product Warranty	5 Years



Suitable for high pressure applications (minimum 150 kPa)

Hob Mounted Sensor Tap With Internal Solenoid

Product Code: 9506036
Hob Mounted Sensor Tap with Self-Calibrating
Infrared Sensor and Internal Solenoid



Battery case

Spare Part:
9506038
AC Conversion Unit to 6V



Commercial Applications




Public Places

Features and Benefits

Commercial durability
Low power consumption ensuring a long battery life
Solenoid cartridge has integrated stainless steel strainer
Water resistant gold-plated cable pluggable connectors
Installation and servicing
Battery or optional mains powered
Operates on 4 X AA batteries
External battery pack for ease of changeover
Modular components allow easy maintenance and changeover
Quick connect moulded plugs

Usage features
Self calibrating infrared electronic sensor
Tap operates when hand is in sensor range and stops when out of range
Self adjusting when powered up
Anti-vandal features
Vandal resistant wall mounted components
Tap will switch off automatically when used for more than 60 seconds



Technical Information


Colour	Chrome
Finish	Polished
Material	Brass
Min Continuous Working Pressure	150 kPa
Max Continuous Working Pressure	500 kPa
Maximum Temperature	70 °C
Max Static Pressure	800 kPa
Product Warranty	5 Years



Suitable for high pressure applications (minimum 150 kPa)

Toilet Suites

Combining innovative technology with world leading manufacturing techniques, Wolfen Suites are designed to positively impact people's lives. Each suite meets stringent Australian quality standards for disability access.





Close Coupled Back to Wall Ambulant Toilet Suite

Product Code: 9510381(White), 9510382(Blue), 9510383 (Grey)
Closed Coupled Back to Wall Ambulant Toilet Suite
with Single Flap Seat and Raised Buttons

Product Code: 9510384 (White), 9510385 (Blue), 9510386 (Grey)
Close Coupled Back to Wall Ambulant Toilet Suite
with Double Flap Seat and Raised Buttons



Commercial Applications



Aged Care



Education



Hospital and Health Care



Public Places




Sports and Leisure

Features and Benefits

Comfort and hygiene
Raised pan height
Raised buttons
Rimless design
Seat includes buffers to minimise movement on pan


Technical Information

Pan Colour	White
Cistern Colour	White
Seat Colour	White (Single: 9508007, Double: 1804815) Blue (Single: 9508008, Double: 1804816) Grey (Single: 9508009, Double: 1804817)
Button Colour	White, Blue or Grey
Pan Material	Vitreous China
Cistern Material	Vitreous China
Seat Material	Urea with Stainless Steel Hinges
Pan Weight	33 kg



Technical Information

Cistern Weight	19 kg
Seat Weight	1.1 kg
Water Inlet Position	Back Inlet
Set Out (mm)	95 mm - 180 mm (S Trap), 180 mm (P Trap)
Rim Configuration	Rimless
Inlet Valve Pressure	500 kPa
Product Warranty	5 Years Domestic Use
Product Warranty	5 Years Commercial Use



Close Coupled Back To Wall 800 Toilet Suite

Product Code: 9508010 (White), 9508011 (Blue), 9508012 (Grey)
 Close Coupled Back to Wall 800 Toilet Suite with
 Single Flap Seat and Raised Buttons

Product Code: 1806668 (White), 1806669 (Blue), 1806670 (Grey)
 Close Coupled Back to Wall 800 Toilet Suite with
 Double Flap Seat and Raised Buttons



Commercial Applications



Aged Care



Education



Hospital and Health Care



Public Places




Sports and Leisure

Features and Benefits

Comfort and Hygiene
Raised pan height
Raised buttons
Rimless design
Seat includes buffers to minimise movement on pan


Technical Information

Pan Colour	White
Cistern Colour	White
Seat Colour	White (Single: 9508007, Double: 1804815) Blue (Single: 9508008, Double: 1804816) Grey (Single: 9508009, Double: 1804817)
Button Colour	White, Blue or Grey
Pan Material	Vitreous China
Cistern Material	Vitreous China
Seat Material	Urea with Stainless Steel Hinges
Pan Weight	50 kg



Technical Information

Cistern Weight	19 kg
Seat Weight	1.1 kg
Water Inlet Position	Back Inlet
Set Out (mm)	185 mm - 285 mm (S Trap), 185 mm (P Trap)
Rim Configuration	Rimless
Inlet Valve Pressure	500 kPa
Product Warranty	5 Years Domestic Use
Product Warranty	5 Years Commercial Use



Close Coupled Back To Wall 800 Toilet suite with Backrest

Product Code: 9508924 (White), 9508925 (Blue), 9508926 (Grey)
 Close Coupled Back To Wall 800 Toilet Suit with Backrest,
 Single Flap Seat, and Raised Buttons



Commercial Applications



Aged Care



Education



Hospital and Health Care



Public Places




Sports and Leisure

Features and Benefits

Comfort and hygiene
Raised pan height
Raised buttons
Rimless design
Seat includes buffers to minimise movement on pan
Compliant back rest (9507171)


Technical Information

Pan Colour	White
Cistern Colour	White
Seat Colour	White (9508007) Blue (9508008) Grey (9508009)
Backrest	UV Stabilised HDPE
Back Rest Arms	316 Grade Stainless, Steel Coach Screws
Button Colour	White, Blue or Grey
Pan Material	Vitreous China
Cistern Material	Vitreous China
Seat Material	Urea with Stainless Steel Hinges
Pan Weight	50 Kg



Technical Information

Cistern Weight	19 kg
Seat Weight	1.1 kg
Water Inlet Position	Back Inlet
Set Out (mm)	185 mm - 285 mm (S Trap), 185 mm (P Trap)
Rim Configuration	Rimless
Inlet Valve Pressure	500 kPa
Product Warranty	5 Years Domestic Use
Product Warranty	5 Years Commercial Use



Back To Wall Inwall 800 Toilet Suite

Product Code: 9509708 (White), 9509706 (Blue), 9509707 (Grey)
Back to Wall Inwall 800 Toilet Suite with Single Flap Seat, Button, and Cistern

Product Code: 1806677 (White), 1806678 (Blue), 1806679 (Grey)
Back to Wall Inwall 800 Toilet Suite with Double Flap Seat, Button, and Cistern



Commercial Applications



Aged Care




Education



Hospital and Health Care



Public Places




Sports and Leisure

Features and Benefits


Comfort and hygiene

- Raised pan height
- Raised buttons
- Rimless design
- Seat includes buffers to minimise movement on pan



Technical Information

Pan Colour	White
Seat Colour	White (Single: 9508007, Double: 1804815) Blue (Single: 9508008, Double: 1804816) Grey (Single: 9508009, Double: 1804817)
Pan Material	Vitreous China
Seat Material	Urea with Stainless Steel Hinges
Pan Weight	50 kg
Seat Weight	1.1 kg
Water Inlet Position	Back Inlet
Set Out (mm)	190 mm - 290 mm (S Trap)
Rim Configuration	Rimless
Product Warranty	5 Years Domestic Use
Product Warranty	5 Years Commercial Use
Button compatibility	Hideaway+ Cisterns



Back To Wall Inwall 800 Toilet Seat with Backrest

Product Code: 9509547 (White), 9509549 (Blue), 9509548 (Grey)
Back to Wall Inwall 800 Toilet Suite with Single Flap Seat, Button, Backrest and Cistern



Commercial Applications

- 

Aged Care
- 

Education
- 


Hospital and Health Care
- 

Public Places
- 

Sports and Leisure


Features and Benefits

- Comfort and hygiene**
- _____ Raised pan height
 - _____ Raised buttons
 - _____ Rimless design
 - _____ Seat includes buffers to minimise movement on pan
 - _____ Compliant back rest (9507171)




Technical Information


Pan Colour	White
Button Colour	White (9510029), Blue (9510027), Grey (9510028)
Seat Colour	White (9508007), Blue (9508008), Grey (9508009)
Pan Material	Vitreous China
Seat Material	Urea with Stainless Steel Hinges
Backrest	UV stabilised HDPE
Back Rest Arms	316 Grade Stainless, Steel Coach Screws
Pan Weight	50 kg
Seat Weight	1.1 kg
Water Inlet Position	Back Inlet
Set Out (mm)	190 mm - 290 mm (S Trap)
Rim Configuration	Rimless
Inlet Valve Pressure	500 kPa
Product Warranty	5 Years Domestic Use
Product Warranty	5 Years Commercial Use
Button compatibility	Hideaway+ Cisterns



Wall Mounted Support Arms

Designed for strength, functionality and convenience, the Wolfen toilet arm range provides the ultimate solution in assisted bathroom support. With both stainless steel and white anti-bacterial options, Wolfen has an option for any assisted living environment.





Wall Mounted Support Arms

Product Code: 2260105 (White), 2260106 (Stainless Steel)
Wolfen Wall Mounted Support Arm



Commercial Applications



Aged Care



Education



Hospital and Health Care




Public Places



Sports and Leisure

Features and Benefits

Comfort and practicality
Fold up to sit flush with wall
Strong and durable
Antibacterial and anti slip wrapping
Hygiene
2260105 – Antibacterial wrapping
2260106 – Non porous surface
Compliance
Can be installed to meet requirements of AS1428.1



Technical Information


Finish	2260105 – Embossed to assist with anti-slip 2260106 – Polished Stainless Steel
Material	2260105 – White nylon-wrapped aluminium with Stainless Steel mounting. 2260106 – Polished 304 stainless steel
Colour	2260105 – White and Stainless Steel 2260106 – Stainless Steel
Load Rating	Constructed to withstand 1100 N Force (approx.110kg) to AS1428
Warranty	5 years




Can be installed to meet requirement

Hardware

Wolfen hardware is designed to be strong, reliable and safe. With high grade stainless steel, durable plastics and hard-wearing rubber, you can be assured that the Wolfen products you install today, can be trusted to perform, every day.





Cleaner's Sink with Grate

Product Code: 9506688
Stainless Steel Cleaner's Sink

Product Code: 9506689
Wall Brackets to suit Cleaner's Sink

Product Code: 9506690
Floor Brackets to suit Cleaner's Sink



Spare Parts: Note: Mounting Brackets Sold Separately*



Commercial Applications



Aged Care




Education



Hospital and Health Care



Public Places




Sports and Leisure

Features and Benefits

Features

Strong stainless steel design



Technical Information

Material	316 Marine Grade Stainless Steel
Thickness/Gauge	0.8 mm
Waste	Suits 90mm Waste (Not Included)
Accessories	Includes Heavy-Duty Grate
Wall Brackets*	Wall Brackets to Suit Cleaner's Sink (9506689)
Floor Brackets*	Floor Brackets to Suit Cleaner's Sink (9506690)

Hand Basins

Product Code: 9509887 (Centre Tap Hole),
9509888 (No Tap Hole), 9509101 (Right Hand Tap Hole)
Stainless Steel Hand Basin and Angled Wall Brackets



Spare Parts: Note: Mounting
Brackets Sold Separately*



Commercial Applications



Aged Care




Education



Hospital and Health Care



Public Places



Sports and Leisure

Features and Benefits


Features

- Strong stainless steel design
- Available in Right, Centre and No Tap Hole Configurations.

Centre Tap Hole

Right Hand Tap Hole

No Tap Hole



Technical Information

Material	304 Stainless Steel
Thickness/Gauge	1.0 mm
Waste	Suits 40x60mm Plug and Waste (Not Included)
Wall Brackets*	Angled Wall Brackets to Suit Hand Basin (9509094)

Folding Shower Seat 600 mm

Product Code: 9505996
Folding Shower Seat with Stainless Steel Frame



Commercial Applications



Aged Care




Hospital and Health Care


Features and Benefits

Installation and servicing


Comfortable and durable design




Side view



Front Side view



Top view



Folded view

Technical Information

Colour	Stainless Steel Legs, White Shower Seat
Finish	Brushed Stainless Steel
Material	304 Grade Stainless Steel
	UV Stabilised HDPE Shower Seat
	Coach Screws
Maximum Load Rating	472 kg

Folding Shower Seat 960 mm

Product Code: 9505997
Folding Shower Seat with Stainless Steel Frame



Commercial Applications



Aged Care




Hospital and Health Care


Features and Benefits

Installation and servicing


- The 960 mm model is suitable to create an AS1428.1 compliant bathroom
- Comfortable and durable design




Side view



Front Side view



Top view



Folded view

Technical Information

Colour	Stainless Steel Legs, White Shower Seat
Finish	Brushed Stainless Steel
Material	304 Grade Stainless Steel
	UV stabilised HDPE Shower Seat
	Coach Screws
Maximum Load Rating	472 kg

**AS1428
Compliant**

Hand Dryer

Product Code: 2039655
Slimline Stainless Steel Hand Dryer



Commercial Applications



Industrial Facilities



Sport and Leisure Facilities



Commercial Kitchens

Features and Benefits

Infection control features

- Eliminates need for paper towel receptacle
- No germ catchment area from hand insertion

Commercial durability features




- Robust stainless steel case
- IP 21 certification

Usage features

- Infra-red proximity sensor
- Slimline design
- Energy efficient – Turns off after 1 second of non-detection
- 160 m3/hr blowing volume

Anti-vandal features

- Allen key fixing
- Installation and servicing 3-pin plug and lead attached
- Suits standard power point
- Easy installation template provided application





Technical Information

Electrical Connection	220-240 V 50-60 Hz
Nominal Output	1300 W
Engine Performance	77 W
Casing	Stainless Steel
IP Rating	IP21
Weight	2.9 kg
Blowing Volume	160 m ³ /h
Air Speed	17 m/s
Sound Data	Sound Pressure Level at 2m Distance in a Free field 73 dB(A)

Safety Equipment

Built for total reliability, Wolfen safety equipment is made to withstand the toughest of environments and perform quickly and effectively to reduce injury. Each piece of equipment undergoes rigorous testing to meet the highest of standards.





Hand Operated Safety Shower

Product Code: 9508318
Freestanding Safety Shower



Commercial Applications



Industrial Facilities



Commercial Kitchens

Features and Benefits

Commercial durability features

Tested and compliant with AS4775, ANSI and AS4020 only product with type 5 certificate

Compact packing, stainless steel 304

Installation and servicing

Dynabolts provided for mounting on the floor

Top or rear entry inlet optional

Supplied disassembled to minimize transport damage

Teflon tape provided


Safety sign included

Usage features

Usage features

Cyclonic shower

Aesthetically pleasing



Technical Information

Colour	Chrome Finish
Finish	Polished
Material	Stainless Steel
Cartridge Type	Ceramic Disc / Ball Valve
Min Continuous Working Pressure	250 kPa
Max Continuous Working Pressure	500 kPa
Maximum Max Static Pressure	500 kPa
Min Continuous Working Temperature	16 °C

Freestanding Safety Shower with Eye Wash

Product Code: 9508311
Freestanding Safety Shower & Eye Wash



Commercial Applications



Industrial Facilities



Commercial Kitchens


Features and Benefits

Commercial durability features

- Tested and compliant with AS4775, ANSI and AS4020 only product with type 5 certificate
- Compact packing, stainless steel 304
- Installation and servicing**
- Dynabolts provided for mounting on the floor
- Top or rear entry inlet optional
- Supplied disassembled to minimize transport damage
- Teflon tape provided
- Safety sign included

Usage features

- Usage features
- Adjustable flow eyewash
- Cyclonic shower
- Aesthetically pleasing



Technical Information

Colour	Chrome Finish
Finish	Polished
Material	Stainless Steel
Cartridge Type	Ceramic Disc / Ball Valve
Min Continuous Working Pressure	250 kPa
Max Continuous Working Pressure	500 kPa
Maximum Max Static Pressure	500 kPa
Min Continuous Working Temperature	16 °C

Freestanding Safety Shower with Eye Wash and Pedal

Product Code: 9508312
Freestanding Safety Shower with Eye Wash and Pedal



Commercial Applications



Industrial Facilities



Commercial Kitchens

Features and Benefits

Commercial durability features


- Tested and compliant with AS4775, ANSI and AS4020 only product with type 5 certificate
- Compact packing, stainless steel 304

Installation and servicing

- Dynabolts provided for mounting on the floor
- Top or rear entry inlet optional
- Supplied disassembled to minimize transport damage
- Teflon tape provided
- Safety sign included

Usage features

- Usage features
- Adjustable flow eyewash
- Cyclonic shower
- Aesthetically pleasing



Technical Information

Colour	Chrome Finish
Finish	Polished
Material	Stainless Steel
Cartridge Type	Ceramic Disc / Ball Valve
Min Continuous Working Pressure	250 kPa
Max Continuous Working Pressure	500 kPa
Maximum Max Static Pressure	500 kPa
Min Continuous Working Temperature	16 °C

Ceiling Mounted Safety Drench Shower

Product Code: 9508317
Ceiling Mounted Hand Operated Safety Shower



Commercial Applications



Industrial Facilities



Commercial Kitchens

Features and Benefits

Commercial durability features

Tested and compliant with AS4775, ANSI and AS4020 only product with type 5 certificate

Compact packing, stainless steel 304

Installation and servicing

Dynabolts provided for mounting

Top or rear entry inlet optional

Supplied disassembled to minimize transport damage

Teflon tape provided


Safety sign included

Usage features

Usage features

Cyclonic shower

Aesthetically pleasing



Technical Information

Colour	Chrome Finish
Finish	Polished
Material	Stainless Steel
Cartridge Type	Ceramic Disc / Ball Valve
Min Continuous Working Pressure	250 kPa
Max Continuous Working Pressure	500 kPa
Maximum Max Static Pressure	500 kPa
Min Continuous Working Temperature	16 °C

Wall Mounted Safety Drench Shower

Product Code: 9508316
Wall Mounted Hand Operated Safety Shower



Commercial Applications



Industrial Facilities



Commercial Kitchens


Features and Benefits

Commercial durability features

- Tested and compliant with AS4775, ANSI and AS4020 only product with type 5 certificate
- Compact packing, stainless steel 304
- Installation and servicing**
- Dynabolts provided for mounting
- Top or rear entry inlet optional
- Supplied disassembled to minimize transport damage
- Teflon tape provided
- Safety sign included

Usage features




- Usage features
- Cyclonic shower
- Aesthetically pleasing






Technical Information



Colour	Chrome Finish
Finish	Polished
Material	Stainless Steel
Cartridge Type	Ceramic Disc / Ball Valve
Min Continuous Working Pressure	250 kPa
Max Continuous Working Pressure	500 kPa
Maximum Max Static Pressure	500 kPa
Min Continuous Working Temperature	16 °C

Industry Index

Industry	Product Code	Product Description	Page
 Commercial Kitchens	252460	Foot Pedal Valve for Operating Tapware	18
	252958	Knee Operated Valve	20
	252957	Foot Operating Tap including Foot Pedal Valve and Tap Outlet	22
	252959	Knee Operating Tap including Knee Valve and Tap Outlet.	24
	252452	Compact Pre-Rinse Sink Mixer with Pot Filler and Wall Fixing Bracket	28
	252430	Pre Rinse Sink Mixer with Pot Filler	30
	252432	Trigger Spray Assembly with Stop Tap	32
	252444	Slophopper Assembly with Wall Bracket	34
	9505568	Sensor Gooseneck Tap with Sensor Range Adjustment	54
	9506217	Sensor Gooseneck Tap with LED Light and Sensor Range Adjustment	
	9507918	Sensor Gooseneck Tap 6V	56
	9505569	Electronic Foot Pedal Operated Tap	58
	2039655	Slimline Hand Dryer S/Less Steel	86
	9508318	Freestanding Safety Shower & Eye Wash	90
	9508311	Freestanding Safety Shower with Eye Wash	92
	9508312	Freestanding Safety Shower with Eye Wash with Foot Pedal	94
	9508317	Ceiling Mounted Hand Operated Safety Shower	96
	9508316	Wall Mounted Hand Operated Safety Drench Shower	98
 Education	252418	122° Wall Bubbler with Recessed Spray Nozzle And Soft Spring Button	8
	252465	90° Wall Bubbler with Recessed Spray Nozzle and Soft Spring Button	10
	252419	Hob Mounted Bubbler with Recessed Spray Nozzle and Soft Spring Button	12
	252420	Remote Mounted Bubbler with Recessed Spray Nozzle and Soft Spring Button	14
	9508243	Timed Flow Bib Tap with Soft Button for Cold Water and 7 Second Timer 65 mm	36
	9508244	Timed Flow Bib Tap with Soft Button for Warm Water and 7 Second Timer 65 mm	40
	9508245	Timed Flow Bib Tap with Soft Button for Cold Water and 7 Second Timer 95 mm	42
	9508246	Timed Flow Bib Tap with Soft Button for Warm Water and 7 Second Timer 95 mm	44
	9508241	Timed Flow Basin Tap with Soft Button for Cold Water and 7 Second Timer	46
	9508242	Timed Flow Basin Tap with Soft Button for Warm Water and 7 Second Timer	48
 Aged Care	9508240	Timed Flow Mixer Tap with Soft Button for Warm Water and 7 Second Timer	50
	252432	Trigger Spray Assembly with Stop Tap	32
	252444	Slophopper Assembly with Wall Bracket	34
	9508243	Timed Flow Bib Tap with Soft Button for Cold Water and 7 Second Timer 65 mm	36
	9508244	Timed Flow Bib Tap with Soft Button for Warm Water and 7 Second Timer 65 mm	40
	9508245	Timed Flow Bib Tap with Soft Button for Cold Water and 7 Second Timer 95 mm	42
	9508246	Timed Flow Bib Tap with Soft Button for Warm Water and 7 Second Timer 95 mm	44
	9508241	Timed Flow Basin Tap with Soft Button for Cold Water and 7 Second Timer	46
	9508242	Timed Flow Basin Tap with Soft Button for Warm Water and 7 Second Timer	48
	9508240	Timed Flow Mixer Tap with Soft Button for Warm Water and 7 Second Timer	50
	9506217	Sensor Operated Gooseneck Tap With LED Option	54
	9505568	Sensor Gooseneck Tap with Sensor Range Adjustment	
	9507918	Sensor Gooseneck Tap 6V	56
	9505569	Electronic Foot Pedal Operated Tap	58
	9510381	Close Coupled Back to Wall Ambulant Toilet Suite with Single Flap Seat and Buttons	66
	9510382		
	9510383		
	9510384	Back to Wall Ambulant Toilet Suite with Double Flap Seat and Buttons	66
	9510385		
	9510386		
	9508010	Close Coupled Back to Wall 800 Toilet Suite with Single Flap Seat and Buttons	68
	9508011		
	9508012		
	1806668	Close Coupled Back to Wall Toilet Suite with Double Flap Seat and Buttons	68
	1806669		
	1806670		
	9508924	Close Coupled Back to Wall 800 Toilet Suite with Backrest, Single Flap Seat, and Raised Buttons	70
	9508925		
	9508926		
	9509706	Back to Wall Inwall 800 Toilet Suite with Single Flap Seat, Button, and Cistern	72
	9509707		
	9509708		
	1806677	Back to Wall Inwall 800 Toilet Suite with Double Flap Seat, Button, and Cistern	72
	1806678		
	1806679		
	9509547	Back to Wall Inwall 800 Toilet Seat with Single Flap Seat, Backrest, Button and Cistern	74
	9509548		
	9509549		
	2260105	Wall Mounted Support Arms	78
	2260106		
	9506688	Cleaner's Sink with Wall Brackets	78
	9509101	Hand Basin	80
	9505996	Folding Shower Seat with Stainless Steel Frame – 600 mm	82
	9505997	Folding Shower Seat with Stainless Steel Frame – 960 mm	84
	2039655	Slimline Stainless Steel Hand Dryer	86

Industry	Product Code	Product Description	Page
 Public Spaces	252432	Trigger Spray Assembly with Stop Tap	32
	252444	Slophopper Assembly with Wall Bracket	34
	9508243	Timed Flow Bib Tap with Soft Button for Cold Water and 7 Second Timer 65 mm	38
	9508244	Timed Flow Bib Tap with Soft Button for Warm Water and 7 Second Timer 65 mm	40
	9508245	Timed Flow Bib Tap with Soft Button for Cold Water and 7 Second Timer 95 mm	42
	9508246	Timed Flow Bib Tap with Soft Button for Warm Water and 7 Second Timer 95 mm	44
	9508241	Timed Flow Basin Tap with Soft Button for Cold Water and 7 Second Timer	46
	9508242	Timed Flow Basin Tap with Soft Button for Warm Water and 7 Second Timer	48
	9508240	Timed Flow Mixer Tap with Soft Button for Warm Water and 7 Second Timer	50
	9506217	Sensor Operated Gooseneck Tap With LED Option	54
	9505568	Sensor Gooseneck Tap with Sensor Range Adjustment	
	9507918	Sensor Gooseneck Tap 6V	56
	9505569	Electronic Foot Pedal Operated Tap	58
	9510381	Close Coupled Back to Wall Ambulant Toilet Suite with Single Flap Seat and Buttons	66
	9510382		
	9510383		
	9510384	Back to Wall Ambulant Toilet Suite with Double Flap Seat and Buttons	66
	9510385		
	9510386		
	9508010	Close Coupled Back to Wall 800 Toilet Suite with Single Flap Seat and Buttons	68
	9508011		
	9508012		
	1806668	Close Coupled Back to Wall Toilet Suite with Double Flap Seat and Buttons	68
	1806669		
	1806670		
	9508924	Close Coupled Back to Wall 800 Toilet Suite with Backrest, Single Flap Seat, and Raised Buttons	70
	9508925		
	9508926		
	9509706	Back to Wall Inwall 800 Toilet Suite with Single Flap Seat, Button, and Cistern	72
	9509707		
	9509708		
 Industrial Facilities	1806677	Back to Wall Inwall 800 Toilet Suite with Double Flap Seat, Button, and Cistern	72
	1806678		
	1806667		
	9509547	Back to Wall Inwall 800 Toilet Seat with Single Flap Seat, Backrest, Button and Cistern	74
	9509548		
	9509549		
	2260105	Wall Mounted Support Arms	78
 Hospital and Health Care	2260106		
	9506688	Cleaner's Sink	78
	9509101	Wolfen Hand Basin	80
	9505996	Folding Shower Seat with Stainless Steel Frame – 600 mm	82
	9505997	Folding Shower Seat with Stainless Steel Frame – 960 mm	84
	2039655	Slimline Stainless Steel Hand Dryer	86
	9508318	Freestanding Safety Shower & Eye Wash	90
	9508311	Freestanding Safety Shower with Eye Wash	92
	9508312	Freestanding Safety Shower with Eye Wash with Foot Pedal	94
	9508317	Ceiling Mounted Hand Operated Safety Shower	96
	9508316	Wall Mounted Hand Operated Safety Shower	98
	252432	Trigger Spray Assembly with Stop Tap	32
	252444	Slophopper Assembly with Wall Bracket	34
	9508243	Timed Flow Bib Tap with Soft Button for Cold Water and 7 Second Timer 65 mm	38
	9508244	Timed Flow Bib Tap with Soft Button for Warm Water and 7 Second Timer 65 mm	40
	9508245	Timed Flow Bib Tap with Soft Button for Cold Water and 7 Second Timer 95 mm	42
	9508246	Timed Flow Bib Tap with Soft Button for Warm Water and 7 Second Timer 95 mm	44
	9508241	Timed Flow Basin Tap with Soft Button for Cold Water and 7 Second Timer	46
	9508242	Timed Flow Basin Tap with Soft Button for Warm Water and 7 Second Timer	48
	9508240	Timed Flow Mixer Tap with Soft Button for Warm Water and 7 Second Timer	50
	9506217	Sensor Operated Gooseneck Tap with LED Light and Sensor Range Adjustment	54
	9505568	Sensor Gooseneck Tap with Sensor Range Adjustment	
	9507918	Sensor Operated Gooseneck with 6V Battery Power	56
	9505569	Electronic Foot Pedal Operated Tap	58

Industry Index

Industry	Product Code	Product Description	Page
 Hospital and Health Care	9510381	Back to Wall Ambulant Toilet Suite with Seat and Buttons	66
	9510382		
	9510383		
	9510384	Back to Wall Ambulant Toilet Suite with Double Flap Seat and Buttons	66
	9510385		
	9510386		
	9508010	Close Coupled Back to Wall 800 Toilet Suite with Single Flap Seat and Buttons	68
	9508011		
	9508012		
	1806668	Close Coupled Back to Wall Toilet Suite with Double Flap Seat and Buttons	68
	1806669		
	1806670		
	9508924	Close Coupled Back to Wall 800 Toilet Suite with Backrest, Single Flap Seat, and Raised Buttons	70
	9508925		
	9508926		
 Sports and Leisure	9509706	Back to Wall Inwall 800 Toilet Suite with Single Flap Seat, Button, and Cistern	72
	9509707		
	9509708		
	1806677	Back to Wall Inwall 800 Toilet Suite with Double Flap Seat, Button, and Cistern	72
	1806678		
	1806679		
	9509547	Back to Wall Inwall 800 Toilet Seat with Single Flap Seat, Backrest, Button and Cistern	74
	9509548		
	9509549		
	9506688	Cleaner's Sink	78
	2260105	Wall Mounted Support Arms	78
	2260106		
	9509101	Hand Basin	80
	252418	122° Wall Bubbler with Recessed Spray Nozzle and Soft Spring Button	8
	252465	90° Wall Bubbler with Recessed Spray Nozzle and Soft Spring Button	10
	252419	Hob Mounted Bubbler with Recessed Spray Nozzle and Soft Spring Button	12
	252420	Remote Button Bubbler with Recessed Spray Nozzle and a Remote Soft Spring Button	14
	9508243	Timed Flow Bib Tap with Soft Button for Cold Water and 7 Second Timer 65 mm	38
	9508244	Timed Flow Bib Tap with Soft Button for Warm Water and 7 Second Timer 65 mm	40
	9508245	Timed Flow Bib Tap with Soft Button for Cold Water and 7 Second Timer 95 mm	42
	9508246	Timed Flow Bib Tap with Soft Button for Warm Water and 7 Second Timer 95 mm	44
	9508241	Timed Flow Basin Tap with Soft Button for Cold Water and 7 Second Timer	46
	9508242	Timed Flow Basin Tap with Soft Button for Warm Water and 7 Second Timer	48
	9508240	Timed Flow Mixer Tap with Soft Button for Warm Water and 7 Second Timer	50
	9510381	Close Coupled Back to Wall Ambulant Toilet Suite with Single Flap Seat and Buttons	66
	9510382		
	9510383		
	9510384	Back to Wall Ambulant Toilet Suite with Double Flap Seat and Buttons	66
	9510385		
	9510386		
	9508010	Close Coupled Back to Wall 800 Toilet Suite with Single Flap Seat and Buttons	68
	9508011		
	9508012		
	1806668	Close Coupled Back to Wall Toilet Suite with Double Flap Seat and	68
	1806669		
	1806670		
	9508924	Close Coupled Back to Wall 800 Toilet Suite with Backrest, Single Flap Seat, and Raised Buttons	70
	9508925		
	9508926		
	9509706	Back to Wall Inwall 800 Toilet Suite with Single Flap Seat, Button, and Cistern	72
	9509707		
	9509708		
	1806677	Back to Wall Inwall 800 Toilet Suite with Double Flap Seat, Button, and Cistern	72
	1806678		
	1806679		
	9509547	Back to Wall Inwall 800 Toilet Seat with Single Flap Seat, Backrest, Button and Cistern	74
	9509548		
	9509549		
	2260105	Wall Mounted Support Arms	78
	2260106		
	9506688	Cleaner's Sink	78
	9509101	Hand Basin	80
	2039655	Slimline Stainless Steel Hand Dryer	86

Reece Product Quality Guarantee



You have purchased a quality product from Reece Australia Pty Ltd ABN 84 004 097 090 ("Reece"). This product is covered by a 5 year replacement product warranty and a 12 month warranty over spare parts and labour.

5 Year Warranty

This warranty covers faults in the product construction, material and assembly. Products which are within 5 years from the date of purchase, found upon inspection by an authorised Reece representative, to be defective in construction, material or assembly, will be repaired or exchanged with an equivalent product free of charge. Replaced items become Reece's property.

All replacement products will be available for collection without charge to the customer at the nearest Reece branch to the customer's location, or elsewhere as agreed between the customer and Reece.

Labour and Spare Parts

The labour for the replacement of products and spare parts to which this warranty applies will be supplied by Reece or relevant supplier using licensed plumbers engaged by Reece or relevant supplier within 1 year from the date of purchase. Spare parts other than those listed in the Manufacturer's Provisions above, which are within 1 year from the date of purchase found upon inspection by an authorised Reece representative to be defective in construction, material or assembly, will be replaced free of charge.

Warranty Conditions

This warranty will apply only under all of the following conditions:

The item has been installed by a licensed plumber
Failure is due to a fault in the manufacture of the product
Proof of purchase (including the date of purchase) is provided
The installation of the product is in accordance with the instructions provided

This warranty does not cover products purchased as an ex-display without being fully checked and tested for sale by the manufacturer.

This warranty does not include faults caused by:

Unsuitable or improper use
Incorrect installation or installation not in accordance with the instructions provided
Installation or part installation by the purchaser or any person other than a LICENSED PLUMBER
Normal wear and tear
Inadequate or complete lack of maintenance
Chemical, electrochemical or electrical influences
Harsh detergents or abrasive cleaners used on product finishes

Exclusions

To the fullest extent permitted by law, Reece excludes all liability for damage or injury to any person, damage to any property, and any indirect consequential or other loss or damage.

Claim Procedure

For all warranty queries customers are to contact the branch where the product was purchased. These details can be found on your purchase invoice.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.





Reece. Works for you.™

Call **1800 032 566** or visit **www.reece.com.au** for your nearest Reece store.

Due to limitations in the printing process the colours in this brochure are a guide only.

The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification.
The manufacturer/distributor takes no responsibility for printing errors. All products enjoy a product replacement warranty.
For full warranty details visit www.reece.com.au/productquality

V2 [BROCHURE CODE 2131811]

