

(. . . . ()

Dripline

FastFit Manifold

Connecting you with more. ENKi brings simplicity and versatility to every job. And with new endless configurations of different pipe and fittings, you'll have all you need to help your next irrigation project flourish.



Dripline



ENKi Dripline delivers water straight to the soil, above the plant's root zone, allowing for direct absorption and minimal water waste. Featuring a large flow path, ENKi Dripline reduces the probability of clogging giving you peace of mind on every job.

Benefits

2 litres per hour

Large 13mm flow path – less likely to clog

50 and 200 metre coils

Pressure compensated anti siphon

30cm and 40cm spacing available

Compatible with all standard 13mm micro fittings







Code	Description	Size
1542487	ENKi Dripline Brown	30cm x 50m
1542488	ENKi Dripline Brown	30cm x 200m
1542498	ENKi Dripline Brown	40cm x 50m
1542499	ENKi Dripline Brown	40cm x 200m



ENKi Dripline Purple

Code	Description	Size
1521501	ENKi Dripline Purple	30cm x 50m
1521502	ENKi Dripline Purple	30cm x 200m
1521503	ENKi Dripline Purple	40cm x 50m
1521504	ENKi Dripline Purple	40cm x 200m

Flow Rate LPH	Emitter Spacing (m)	75kPa	100kPa	150kPa	200kPa	250kPa
2.0L/Hr	0.3	49	62	78	90	100
2.0L/Hr	0.4	62	79	100	116	128

Internal Diameter	Outside Diameter	Wall Thickness	Pressure Range	
12.9mm	15.3mm	1.2mm	4-35m	

- · Manufactured from UV-Stabilized low-density polyethylene · Operating pressure: 40–350kPa · Compatible with all standard 13mm micro fittings · Pressure compensated and Anti Siphon * Maximum run length of single lateral on flat ground (based on 5m residual pressure at the end of the lateral)

FastFit Manifold



The ENKi FastFit Manifold is a strong, versatile and easy to use system for irrigation installers. The large selection allows for an endless number of configurations.

How it works

ENKi FastFit Manifold Fittings are assembled by inserting the coupling between two fittings, pressing the fitting together and sliding the locking clips over the lugs. Each join requires two clips and a coupling, except the inlet and the end cap which have built-in coupling.



Benefits

Fast to install with just one push clip

Can be pressurised immediately without tools or glue

Unique O ring design prevents overtightening – and eliminates leaks

Union fittings allow for easy removal or addition of valves without disassembling the manifold

UV resistant and durable, made from virgin engineered plastics

Technical Information

Maximum operating pressure 1400kPA

Tested to 1600kPA

UV resistant







Code	Description	Size
1542921	ENKi FastFit Manifold Union Cross	25mm



Code	Description	Size	
1542922	ENKi FastFit Manifold Union Elbow	25mm	



Code	Description	Size
1542928	ENKi FastFit Manifold Nipple	25mm



Code	Description	Size
1542923	ENKi FastFit Manifold Inlet	25mm



Code	Description	Size
1542924	ENKi FastFit Manifold End Cap	25mm



Code	Description	Size
1542925	ENKi FastFit Manifold Coupling	25mm




Code	Description	Size
1542929	ENKi FastFit Manifold Union Valve Adaptor	25mm




Code	Description
1542926	ENKi FastFit Manifold Plain Clip



Code	Description
1542927	ENKi FastFit Manifold Wall Mount Clip



Wall Mounted Example



Micro Irrigation Fittings



ENKi offer a range of Micro Fittings designed for standard low pressure poly tube, built for enhanced chemical resistance. Available in 13mm, 19mm, and 25mm.

Benefits

A range of virgin polypropylene fittings with enhanced resistance against chemicals

Designed to suit standard low pressure poly tube

Sharp tapered barb on all fittings for easy installation

Smooth edge lock-tight ratchet clamps

Operating pressure rated to 300kPa





Barb Joiners

Code	Description	Size
1542828	ENKi Micro Joiner	13mm
1542829	ENKi Micro Joiner	19mm
1542861	ENKi Micro Joiner	25mm



Reducing Joiners

Code	Description	Size
1542863	ENKi Micro Reducing Joiner	19mm x 13mm
1542864	ENKi Micro Reducing Joiner	25mm x 13mm
1542865	ENKi Micro Reducing Joiner	25mm x 19mm



Barb Tees

Code	Description	Size
1542825	ENKi Micro Tee	13mm
1542826	ENKi Micro Tee	19mm
1542872	ENKi Micro Tee	25mm



Reducing Tees

Code	Description	Size
1545447	ENKi Micro Reducing Tee	13mm x 19mm
1542866	ENKi Micro Reducing Tee	19mm x 13mm
1542867	ENKi Micro Reducing Tee	25mm x 13mm
1542868	ENKi Micro Reducing Tee	25mm x 19mm



Threaded Tees - Female

Code	Description	Size
1545450	ENKi Micro Tee	13mm x 15mm FI
1542869	ENKi Micro Tee	19mm x 15mm Fl
1545451	ENKi Micro Tee	19mm x 20mm FI
1542873	ENKi Micro Tee	25mm x 15mm Fl
1545448	ENKi Micro Tee	25mm x 20mm FI




Threaded Tees - Male

Code	Description	Size
1542827	ENKi Micro Tee	13mm x 15mm MI
1542870	ENKi Micro Tee	19mm x 15mm Ml
1542871	ENKi Micro Tee	19mm x 20mm MI
1542874	ENKi Micro Tee	25mm x 15mm MI
1542875	ENKi Micro Tee	25mm x 20mm MI



Threaded Elbows - Female

Code	Description	Size
1542856	ENKi Micro Elbow	13mm x 15mm Fl
1542857	ENKi Micro Elbow	19mm x 15mm Fl
1545452	ENKi Micro Elbow	19mm x 20mm FI
1542858	ENKi Micro Elbow	25mm x 15mm Fl
1545453	ENKi Micro Elbow	25mm x 20mm FI





Barb Elbows

Code	Description	Size
1542830	ENKi Micro Elbow	13mm
1542831	ENKi Micro Elbow	19mm
1542852	ENKi Micro Elbow	25mm



Threaded Elbows - Male

Code	Description	Size
1542832	ENKi Micro Elbow	13mm x 15mm MI
1542833	ENKi Micro Elbow	19mm x 15mm MI
1542853	ENKi Micro Elbow	19mm x 20mm MI
1542854	ENKi Micro Elbow	25mm x 15mm Ml
1542855	ENKi Micro Elbow	25mm x 20mm MI



Reducing Elbows

Code	Description	Size
1545446	ENKi Micro Reducing Elbow	19mm x 13mm
1545445	ENKi Micro Reducing Elbow	25mm x 13mm



Directors - Male

Code	Description	Size
1542845	ENKi Micro Director	13mm x 15mm MI
1542846	ENKi Micro Director	13mm x 20mm MI
1542847	ENKi Micro Director	13mm x 25mm MI
1542835	ENKi Micro Director	19mm x 15mm MI
1542848	ENKi Micro Director	19mm x 20mm MI
1542849	ENKi Micro Director	19mm x 25mm MI
1542850	ENKi Micro Director	25mm x 20mm MI
1542851	ENKi Micro Director	25mm x 25mm MI



Micro Start Connector

Code	Description	Size
1542898	ENKi Micro Start Connector	10mm x 13mm
1542899	ENKi Micro Start Connector Elbow	10mm x 13mm



End Plugs

	<u> </u>		
Code	Description	Size	
1542834	ENKi Micro End Plug	13mm	
1542859	ENKi Micro End Plug	19mm	
1542860	FNKi Micro End Plua	25mm	



Ratchet Clips

Code	Description	Size
1542836	ENKi Micro Ratchet Clip Suits LDPE	13mm
1542837	ENKi Micro Ratchet Clip Suits LDPE	19mm
15/2862	ENKi Micro Patchet Clin Suits I DDE	25mm



Rounded Steel Pin

Code	Description	Size
1525448	ENKi Rounded Steel Pin	150mm x 30mm



Cross

Code	Description	Size	
1545449	ENKi Micro Cross	13mm	





Adaptors

Code	Description	Size
1545454	ENKi Scrub Adaptor	15mm
1545455	ENKi Jet Adaptor	15mm



Spanner Punch

Code	Description	
1545489	ENKi Spanner Punch	

4mm Tube Coil



Meet our ENKi 4mm Tube Coil. Built for enhanced reliability with thick walls, this premium product connects your poly and micro drippers and sprays.

Benefits

Premium wall for increased durability and longevity

Easily joins with the ENKi range of 4mm fittings

Tube strength keeps micro sprays and jets upright

Suited to a wide range of landscape applications





Tube Coil

Code	Description	Size
1545456	ENKi Flexible PVC Tube	4mm X 5m
1545457	ENKi Flexible PVC Tube	4mm X 25m
1545458	ENKi Flexible PVC Tube	4mm X 50m

4mm Micro Fittings



The crucial connection between your 4mm Tube Coil and Micro Drippers and Sprays, this range of Micro Fittings is built for performance.

Benefits

ABS and UV resistant for increased longevity

Sharp tapered barb on all fittings for easy installation

Supported by ENKi 4mm Flexible PVC Pipe





4mm Micro Fittings

Code	Description	Size
1545459	Micro Barb-Barb Joiner	4mm



4mm Micro Fittings

Code	Description	Size	
1545460	Micro Barb-Thread Joiner	4mm	



4mm Micro Fittings

Code	Description	Size
1545461	ENKi Micro Elbow	4mm



4mm Micro Fittings

Code	Description	Size
1545462	ENKi Micro Tee	4mm



4mm Micro Fittings

Code	Description	Size
1521098	ENKi Micro Plug	4mm

Articulated Risers



ENKi Articulated Risers are specifically designed for pop-up sprinklers, shifting up or down in seconds. Get maximum flexibility from your sprinkler system without trenching or running new pipe.

Benefits

UV resistant to suit the harsh Australian sun

Polypropylene for chemical resistance

Increased longevity

Precision production for accurate threads every time





Artic Riser

Code	Description	Size
1545467	ENKi Artic Riser	15mmx150mm
1545468	ENKi Artic Riser	15mmx200mm
1545469	ENKi Artic Riser	15mmx300mm
1545470	ENKi Artic Riser	20mmx200mm
1545471	ENKi Artic Riser	20mmx300mm
1545472	ENKi Artic Riser	25mmx300mm



Artic Riser MF Elbow

	scription	Size
1545464 ENI	Ki Artic Riser MF Elbow	15mm
1545465 ENI	Ki Artic Riser MF Elbow	20mm
1545466 ENI	Ki Artic Riser MF Elbow	20mm

Poly Risers

ENKi Poly Risers are built from high quality materials to ensure strong connections over many years, with UV resistance that ensures long term performance – even in direct sunlight.

Benefits

UV resistant to suit the harsh Australian sun

Polypropylene for chemical resistance and increased longevity

Precision production for accurate threads every time



Poly Risers

Code D	escription	Size
1545473 E	NKi Poly Riser MXM	15mm x 25mm
1545474 E	NKi Poly Riser MXM	15mm x 50mm
1545475 E	NKi Poly Riser MXM	15mm x 100mm
1545476 E	NKi Poly Riser MXM	15mm x 150mm
1545477 E	NKi Poly Riser MXM	15mm x 200mm
1545478 E	NKi Poly Riser MXM	15mm x 300mm
1545479 E	NKi Poly Riser MXM	15mm x 450mm
1545480 E	NKi Poly Riser MXM	15mm x 600mm
1545481 E	NKi Poly Riser MXM	15mm x 900mm

Poly Risers

Code	Description	Size
1545482	ENKi Poly Riser MXM	20mm x 300mm
1545483	ENKi Poly Riser MXM	20mm x 450mm
1545484	ENKi Poly Riser MXM	20mm x 600mm
1545485	ENKi Poly Riser MXM	20mm x 900mm



Poly Risers

Code	Description	Size
1545486	ENKi Poly Riser MXM	25mm x 300mm
1545487	ENKi Poly Riser MXM	25mm x 600mm
1545488	ENKi Poly Riser MXM	25mm x 900mm







